


öko skin polar white

Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.


Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface



MA matt
natural blushing effect, smooth surface



Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.

Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface



MA matt
natural blushing effect, smooth surface






ivory

Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.

Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface



MA matt
natural blushing effect, smooth surface







öko skin silvergrey

Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.

Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface




MA matt natural blushing effect, smooth surface






Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.

Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface




MA matt
natural blushing effect, smooth surface






Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.


Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface



MA matt natural blushing effect, smooth surface





RIEDER

öko skin liquide black

Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.

Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface



MA matt
natural blushing effect, smooth surface





Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.


Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface



MA matt
natural blushing effect, smooth surface



Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.

Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface




MA matt
natural blushing effect, smooth surface




terra

Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.

Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface



MA matt natural blushing effect, smooth surface





terracotta

Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.

Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.




FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface



MA matt
natural blushing effect, smooth surface





Glassfibre reinforced concrete is a natural material that blends with nature and the environment. öko skin is through color including iron oxide and natural additives. The play of colors within a certain color shade is intentional and enhances the vivid character of concrete.

Each palette includes three surfaces ferro, ferro light and matt which create a naturally varied and vivid surface. The mixing of concrete slats from various pallets and layers for an optimal installation result is recommended.



FE ferro sandblasted at high pressure, rough surface



FL ferro light sandblasted at low pressure, rough surface



MA matt
natural blushing effect, smooth surface

